FEB 1 7 2006

HEWLETT-PACKARD COMPANY Intellectual Property Administration P.O. Box 272400 Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO.

600111683-1

Inventor(s):

Subirada et al

Confirmation No.: 9373

Application No.: 10/632,011 Filing Date:

07/31/2003

Examiner: Pham, H.C.

Group Art Unit: 2861

Title: CALIBRATION AND MEASUREMENT TECHNIQUES FOR PRINTERS

Mail Stop ISSUE FEE **Commissioner For Patents** PO Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL LETTER FOR RESPONSE/AMENDMENT

No additional fee Other Response to Notice of Drawing Inconsistency with Specification							ion Fee\$				
	CLAIMS AS	AMENDE	D BY O	THER	THAN A	SMA	LL EI	YTITV			
(1) FOR	(2) CLAIMS REMAINING AFTER AMENDMENT	(3) NUMBER EXTRA	5	(4) GHEST NUMBER VIOUSLY PAID FOR		(5) PRESENT EXTRA		(6) RATE		(7) ADDITIONAL FEE\$	
TOTAL CLAIMS		MINUS				=	0	х	\$50	\$	0
INDEP. CLAIMS		MINUS				=	0	х	\$200	5	0
	FIRST PRESENTATION	ON OF A ML	JLTIPLE	DEPE	NDENT CI	_AIM		+	\$360	\$	0
EXTENSION FEE	1st Month \$120	2nd I \$456	Month 🔲		3rdMonth \$1020		11 1		4th Month \$1590		0
								OTHER	RFEES	5	

required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this sheet is enclosed.

I hereby certify that this paper is being transmitted to the Patent and Trademark Office facsimile number (671) 273-8300.

Date of facsimile: 2.17. 2006

Typed Name:

Signature:

Subirada eta

Larry K Roberts

Respectfully submitted,

Attorney/Agent for Applicant(s)

Reg No.: 28464

Date:

February 17, 2006

Telephone: (949) 250-6008

Rgv 10/05 (TransAmdFax)

PATENT 600111683-1

RECEIVED CENTRAL FAX CENTER IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re	Application of:)) Art Unit: 2861
Subira	ada et al.	,)
Serial	No. 10/632,011) Examiner: Pham, H.
Filed:	07/31/2003) }
For:	CALIBRATION AND MEASUREMENT TECHNIQUES FOR PRINTERS))))

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is in response to the notice of drawing inconsistency mailed February 6, 2006. Kindly amend the above-captioned application as follows:

Amendments to the Specification begin on page 2 of this paper.

Remarks/Arguments begin on page 3 of this paper.